Price List

Valid from the 1st of March 2025 edition 1
Swivel chairs

All prices: SEK

ADDA

Contents

Profim ACCIS PRO 💋 🤡 📵 🕢 🚳

Profim LIGHT UP 💋 🥱 📵 💋 🚳

Profim MOTTO 💋 🚱 🕡 🔕

Profim VERIS NET 💋 😥 🙆 🚳

Profim VIOLLE 💋 🚱 📵 🕡 🔕

Profim XENON 💋 🚱 📵 🕡 🚳

Profim XENON NET 💋 🤡 📵 🕢 🚷

Technical details

Fabrics and finishings

Profim Standard fabrics Fabrics

and finishings - Extended

Profim ACCIS PRO

ITO Design

- Innovative system of independent side-to-side movement of both backrest and seat (SmartHPS)
- Easy adjustment of the basic functions of the mechanism ensuring synchronised tilt of the backrest and seat
- Adjustable armrests, lumbar support and seat extension
- For safety reasons, the gaps between moving parts are no more than 5 mm and where this was not possible special covers were used
- Blue Angel certificate confirms that our chair is environmentally friendly

Item no	Base model +	Price Group (PG)	0	1	2	3	4	(5)	6	Price
MAT150SF00	Profim ACCIS PRO 150SFL swivel mesh backrest Synchro mechanism, sliding seat, seat forward tilit seat side-movement function base: black armrests: P63TPU gaslift with shock (gaslift cover - alway in base colour)		7 354	7 566	7 799	8110	8 442	8 391	9 365	
MAT151SF00	Profim ACCIS PRO 151SFL • swivel • mesh backrest • Synchro mechanism, sliding seat, seat forward tilit • seat side-movement function • base: black • armrests: P63TPU • gaslift with shock (gaslift cover - always in base colour) • headrest		8 404	8 638	8 884	9 240	9612	9 464	10 441	

MAT0010000

Profim ACCIS PRO 001 Headrest (001) - height and angle adjustment (rear part of headrest black or light grey)



1061 1061 1061 1061 1061 1061

	Accessories/Options/Surcharges:	
7BASC006	Base: lightgray - base color (Only for: 150SFL, 151SFL)	851
7BASC002	Base: white - base color (Only for: 150SFL, 151SFL)	1 296
7BASC005	Base: graphite - base color (Only for: 150SFL, 151SFL)	679
7BASC003	Base: polished aluminum - base color (Only for: 150SFL, 151SFL)	679
7LUSU003	Lumbar support TYPE B - height and depth adjustable - lumbar support TYPE B - height and depth adjustable (Only for: 150SFL, 151SFL)	346

0 price group: Alba, Evo, Next,

1 price group: Cura, Tonal, Xtreme

2 price group: Select

3 price group: Capture, Oceanic, Step, Synergy 4 price group: Steelcut 3, Steelcut Trio 3

Castors/glides:

- hard castors for soft floors (set),
- soft castors for hard floors (set),
- teflon glides universal (set).

When ordering please clearly indicate the chosen option.

Armrest P63TPU - height adjustable armrest (range 100 mm), sliding pad (+/- 50 mm) with span option (+/- 27 mm), and pivot option (+/- 27°), polyurethane pad.

Armrest colour:

- black used with base: black, graphite, polished aluminum
- lightgrey used with base: lightgrey, white.

It is no possible to purchase the chair in version without armrests.

Plastic colours:

- bases: black / graphite / polished aluminium,
- plastics always black,
- bases: lightgrey / white plastics always lightgrey.

Plastic elements: seat cover + adjustments levers, armrests, backrest frame, rear part of headrest, lumbar support, castors.

AccisPro can be upholstered in Runner or Rhythm mesh. When ordering please clearly indicate the chosen option.

Seat covers can be made also for Rhythm and Runner upholstery.

In the 150SFL model it is possible to buy a headrest (001) for self-assembly. The headrest can be made in the seat upholstery or in Runner or Rhythm meshes. When ordering, please clearly indicate the chosen option. The price does not change.








www.blauer-engel.de/uz117

Profim LIGHT UP

ITO Design

- The backrest comes in two variants: mesh and upholstered
- Two colours of the plastic finish and 3 colours of the base open up design possibilities
- Available as a hocker with footres
- · Option with jacket hanger
- Consists of a very small number of components and is 95% recyclable
- Blue Angel certificate confirms that our chair is environmentally friendly
- Möbelfakta certificate a guarantee of durability, safety, environmental care and social responsibility during the production process

Item no	Base model +	Price Group (PG)	0	1	2	3	4	5	Price
MLY300S000	Profim LIGHT UP 230S • upholstered backrest • Synchro mechanism • base: black • non-arm version		3 233	3 541	3740	3 891	4 960	4 339	
MLY300SL00	Profim LIGHT UP 230SL upholstered backrest Synchro mechanism, sliding seat base: black non-arm version		3 480	3 788	3 986	4146	5 208	4 624	
MLY300SF00	Profim LIGHT UP 230SFL upholstered backrest Synchro mechanism, sliding seat seat and backrest forward tilt base: black non-arm version		3 640	3 948	4134	4 300	5 368	4796	
MLY500S000	Profim LIGHT UP 250S • mesh backrest • Synchro mechanism • base: black • non-arm version		3 147	3 319	3 469	3 606	3 986	4 023	
MLY500SL00	Profim LIGHT UP 250SL • mesh backrest • Synchro mechanism • sliding seat • base: black • non-arm version		3 394	3 541	3715	3 863	4 232	4 308	
MLY500SF00	Profim LIGHT UP 250SFL • mesh backrest • Synchro mechanism • sliding seat • seat and backrest forward tilt • base: black • non-arm version		3 541	3715	3875	4 030	4 382	4 495	



MLY350S000

Profim LIGHT UP 350S

- hocker with footrest
- · mesh backrest
- Synchro mechanism
- base: black
- non-arm version



4332 4492 4640 4826 5159 5382

	Accessories/Options/Surcharges:	
7BASC006	Base: lightgray (Only for: 230SL, 230SFL, 250SFL)	679
7BASC003	Base: polished aluminum	679
7ARMR033	Armrests P67TPU Black (set)	556
7ARMR034	Armrests P67TPU - light grey (set) (Only for: 230SFL, 230SL, 250SFL, 250SL)	692
7ARMR035	Armrests P68TPU - black (set)	803
7LUSU004	Lumbar support TYPE A - height adjustable	111
7LUSU003	Lumbar support TYPE B - height and depth adjustable	210
7TGAS005	Gas lift with shock absorber - black or lightgrey, gas lift cover always in base colour (Only for: 230S, 230SL, 230SFL, 250S, 250SL, 250SFL)	346
7HANG002	Clothes hanger (HA), black or light grey, maximum load 4 kg.	333
7SEQU004	Quilting - front side of the seat (Q1)	456

0 price group: Alba, Evo, Next 1 price group: Cura, Tonal, Xtreme

2 price group: Select

3 price group: Capture, Oceanic, Step, Synergy 4 price group: Steelcut 3, Steelcut Trio 3

Castors/glides:

- hard castors for soft floors (set),
- soft castors for hard floors (set),
- teflon glides universal (set).

When ordering please clearly indicate the chosen option.

While ordering LightUp 230SL / 230SFL with light grey base all plastic elements (seat cover, backrest frame, lumbar support, armrests, hanger) will be light grey as well.

P67TPU - height adjustable (range 100 mm), soft termo polyurethane (TPU) pad.

P68TPU - height adjustable (range 100 mm), sliding pad adjustment (range 50 mm), with span option (range 27 mm), swivel pad adjustment (range 33°), soft termo polyurethane (TPU) pad.

Armrest colour:

- black used with base: black, chrome (polished aluminum) (for armrest P67TPU and P68TPU),
- light grey used with base: light grey, white (for armrest P67TPU).

In LightUp 330S /350S castors are equipped with reverse brake, which enable chair from moving away while seated.

 $\label{thm:condition} \mbox{Types of mesh: Runner, String. When ordering please clearly indicate the chosen option.}$

Quilting - extra charge to all price groups, lead time 30-40 working days.

* only models with mesh backrest











www.blauer-engel.de/uz117

Profim MOTTO

- Wide range of colours and finishing fabrics
- Backrests tilting in any direction
- Adjustable armrests and headrest
- Collection is completed with two versions of conference chairs (with low and high backrest)
- Blue Angel certificate confirms that our chair is environmentally friendly
- Möbelfakta certificate a guarantee of durability, safety, environmental care and social responsibility during the production process

Item no	Base model +	Price Group (PG)	0	1	2	3	4	(5)	Price
MMO100S000	Profim MOTTO 10S • fully upholstered backrest • Synchro mechanism • base: black • non-arm version		3 602	4010	4270	4 441	5 690	4 954	
MMO100SL00	Profim MOTTO 10SL • fully upholstered backrest • Synchro mechanism • sliding seat • base: black • non-arm version		3 838	4 246	4516	4 697	5 936	5 239	
MMO100SF00	Profim MOTTO 10SFL • fully upholstered backrest • Synchro mechanism • sliding seat • seat and backrest forward tilt • base: black • non-arm version		4010	4 405	4 665	4851	6 084	5 411	
MMO110S000	Profim MOTTO 11S • high backrest • Synchro mechanism • base: black • non-arm version • headrest		4 665	5 072	5 332	5 545	7 070	6185	
MMO110SL00	Profim MOTTO 11SL high backrest Synchro mechanism sliding seat base: black non-arm version headrest		4912	5 319	5 565	5 787	7 317	6 454	
MMO110SF00	Profim MOTTO 11SFL high backrest Synchro mechanism sliding seat seat and backrest forward tilt base: black non-arm version headrest		5 072	5 466	5 726	5 954	7 465	6 642	

Accessories/Options/Surcharges:

7BASC003	Base: polished aluminum	766
7ARMR033	Armrests P67TPU Black (set)	556
7ARMR035	Armrests P68TPU - black (set)	803
7LUSU002	Lumbar support - depth adjustable - depth adjustment (schukra)	333
7TGAS005	Gas lift with shock absorber	246
7TGAS003	Gas lift with memory	761
7SBQU005	Quilting - front side of the seat (Q1)	456
7SBQU006	Quilting - front of the backrest (Q2)	519

0 price group: Alba, Evo, Next 1 price group: Cura, Tonal, Xtreme

2 price group: Select

3 price group: Capture, Oceanic, Step, Synergy 4 price group: Steelcut 3, Steelcut Trio 3

Castors/glides:

- hard castors for soft floors (set),
- soft castors for hard floors (set),
- teflon glides universal (set).

Glides in Motto 10F/20F:

- standard teflon glides (universal),
- option felt glides (for hard floors).

When ordering please clearly indicate the chosen option.

P67TPU - height adjustable (range 100 mm), soft termo polyurethane (TPU) pad.

P68TPU - height adjustable (range 100 mm), sliding pad adjustment (range 50 mm), with span option (range 27 mm), swivel pad adjustment (range 33°), soft termo polyurethane (TPU) pad.

The connector of the backrest with the seat is always black, irrespective of the colour of base.

The connector of the backrest with the seat is always black, irrespective of the colour of base.

Option of mixing two colours of the same fabric according to below scheme:

A - front of seat and backrest, B - sides of seat, rear part and sides of backrest

In case of order of such option, following example should be specifed: SC-67097/SC-60132 (gdzie SC-67097 - A, SC-60132 - B). Option is available at no extra charge.

Quilting - extra charge to all price groups, lead time 30-40 working days.









www.blauer-engel.de/uz117

Profim VERIS NET

- Ergonomically shaped backrest with additional tilt and lumbar support depth adjustment
- Additional inclination of the front of the seat to prevent pressure on the back of the thighs
- · Two versions: basic and extended with headrest
- · Möbelfakta certificate a guarantee of durability, safety, environmental care and social responsibility during the production process

Item no	Base model +	Price Group (PG)	0	1	2	3	4	(5)	6	Price
MMY000SF00	Profim VERIS NET 100SFL synchro mechanism sliding seat seat and backrest forward tilt mesh backrest base: black non-arm version		4 678	4912	5 159	5 364	5 480	5 763	6169	
MMY010SF00	Profim VERIS NET 101SFL synchro mechanism sliding seat seat and backrest forward tilt lumbar support mesh backrest base: black non-arm version		4 986	5 220	5 466	5 686	5 786	6 072	6 478	
MMY100SF00	Profim VERIS NET 110SFL synchro mechanism sliding seat seat and backrest forward tilt mesh backrest base: black non-arm version headrest		5 627	5 850	6 097	6 341	6417	6700	7 107	
MMY110SF00	Profim VERIS NET 111SFL synchro mechanism sliding seat seat and backrest forward tilt lumbar support mesh backrest base: black non-arm version headrest		5911	6 120	6 366	6 620	6 689	6 973	7 380	
	Accessories/Options/Surch	narges:								
7BASC027	Base: MetallicPro									292
7BASC003	Base: polished aluminum									666
7ARMR008	Armrests P54PU (set)									530
7ARMR009	Armrests P48PU (set)									1665

0 price group: Alba, Evo, Next

1 price group: Cura, Tonal, Xtreme

2 price group: Select

3 price group: Capture, Oceanic, Step, Synergy

Quilting - front side of the seat (Q1)

4 price group: Steelcut 3, Steelcut Trio 3

Castors/glides:

7SEQU004

- hard castors for soft floors (set),
- soft castors for hard floors (set),

320

- teflon glides - universal (set).

When ordering please clearly indicate the chosen option.

Armrest P54PU - height adjustable armrest (range 80 mm). Colour of armrest frame: black. Polyurethane pad.

Armrest P48PU - Height adjustable armrest (range 100 mm) with span adjustment (range 35 mm on each side), sliding pad (range +/- 30 mm) with pivot option (+/- 30°).

Polyurethane pad.

Armrests P48PU and P54PU are always black, irrespective of the colour of base.

Type of mesh: Runner.

When ordering please clearly indicate the chosen option.

Quilting - extra charge to all price groups, lead time 30-40 working days.

Profim VIOLLE

ITO Design

- · Innovative synchronous mechanism equipped with essential, easily accessible adjustments which are fully integrated with the seat
- · Multigrip armrests with soft pad
- Backrest with mesh or upholstery and available with lumbar support, height and depth adjustable, upholstered headrest and jacket hanger
- Function instructions also in Braille
- Plastic and aluminium parts available in several colours (white, light grey and black)
- Available in a conference version on a 4-star aluminium base
- Blue Angel certificate confirms that chair is environmentally friendly
- Möbelfakta certificate a guarantee of durability, safety, environmental care and social responsibility during the production process

Item no	Base model +	Price Group (PG)	0	1	2	3	4	(5)	6	Price
MLX130SF00	Profim VIOLLE 130SFL swivel high backrest lumbar support TYPE B - height and depth adjustable synchro mechanism sliding seat seat forward tilt base: black non-arm version plastic colours: black aluminum colours: white / black / polished aluminum		8 688	9 192	9 700	10 087	11 637	10 983	12 389	
MLX131SF00	Profim VIOLLE 131SFL swivel high backrest lumbar support TYPE B - height and depth adjustable synchro mechanism sliding seat seat forward tilt base: black non-arm version plastic colours: black aluminum colours: white / black / polished aluminum headrest		9700	10 193	10 687	11 114	12 895	11 981	13 574	
MLX150SF00	Profim VIOLLE 150SFL • swivel • high mesh backrest • synchro mechanism • sliding seat • seat forward tilt • base: black • non-arm version • plastic colours: black • aluminum colours: white / black/ polished aluminum		8193	8 4 1 5	8 661	9 008	9 304	9 454	10 033	
MLX151SF00	Profim VIOLLE 151SFL • swivel • high mesh backrest • synchro mechanism • sliding seat • seat forward tilt • base: black • non-arm version • plastic colours: black • aluminum colours: white / black/ polished aluminum • headrest		9170	9 440	9 663	10 049	10 588	10 441	11 192	

Profim XENON

ITO Design

- Innovative depth adjustment of the lumbar support (SmartADLS)
- Mechanisms synchro with smooth and quick adjustment of backrest spring strength
- Graphite J-bar, connecting backrest, seat and mechanism
- Available with high and low backrest, version with headrest and jacket hanger
- Available in full upholstery
- Conference version legs or cantilever and version with or without armrest
- Blue Angel certificate confirms that our chair is environmentally friendly
- Möbelfakta certificate a guarantee of durability, safety, environmental care and social responsibility during the production process

Item no	Base model +	Price Group (PG)	0	1	2	3	4	(5)	6	Price
MBC100S0000	Profim XENON 10S • high backrest • synchro mechanism • base: black • non-arm version • lumbar support - height adjustable		4886	5 332	5 616	5 840	6812	6 453	7 860	
MBC100SL00	Profim XENON 10SL • high backrest • synchro mechanism • sliding seat • base: black • non-arm version • lumbar support - height adjustable		5170	5 616	5 862	6 096	7 070	6713	8 119	
MBC100SF00	Profim XENON 10SFL • high backrest • synchro mechanism • sliding seat • seat and backrest forward tilt • base: black • non-arm version • lumbar support - height adjustable		5 332	5 775	6 059	6 302	7 255	6874	8 305	
MBC110S000	Profim XENON 11S • high backrest • synchro mechanism • base: black • non-arm version • lumbar support - height adjustable • headrest		5 923	6 366	6 651	6918	8 219	7 491	9 107	
MBC110SL00	Profim XENON 11SL • high backrest • synchro mechanism • sliding seat • base: black • non-arm version • lumbar support - height adjustable • headrest		6 207	6 651	6898	7 174	8 478	7750	9 353	

Item no	Base model +	Price Group (PG)	0	1	2	3	4	(5)	6	Price
MBC110SF00	Profim XENON 11SFL • high backrest • synchro mechanism • sliding seat • seat and backrest forward tilt • base: black • non-arm version • lumbar support - height adjustable • headrest		6 366	6812	7 084	7 367	8 651	7 947	9 538	

	Accessories/Options/Surcharges:	
7BASC003	Base: polished aluminum (Only for: 10S, 10SFL, 10SL, 11S, 11SFL, 11SL)	752
7COPR002	Frames colours: MetallicPro, White RAL 9016, Deep Green RAL 6004, Navy Blue RAL 5003, Burgundy RAL 3005, Salvia/Green RAL 6021, Blue RAL 5014, Terracota RAL 3012 (Only for: 20H, 20V)	38
7COPR003	Frames colours: Lightgrey; Grey (Only for: 20H, 20V)	228
7CFRA001	Frame: chrome (Only for: 20H, 20V)	383
7ARMR036	Armrests P69TPU - black (set) (Only for: 10S, 10SFL, 10SL, 11S, 11SFL, 11SL)	556
7ARMR037	Armrests P70TPU - black (set) (Only for: 10S, 10SFL, 10SL, 11S, 11SFL, 11SL)	803
7ARMR001	Armrests - metal with a polypropylene pad (set) (Only for: 20H, 20V)	296
7TGAS005	Gas lift with shock absorber (Only for: 10S, 10SFL, 10SL, 11S, 11SFL, 11SL)	258
7HANG002	Clothes hanger (HA) - maximum load 4 kg (Only for: 10S, 10SFL, 10SL, 11S, 11SFL, 11SL)	445
7SBQU002	Quilting - front side of the seat (Q1) (Only for: 10S, 10SFL, 10SL, 11S, 11SFL, 11SL)	445
7SBQU003	Quilting - front of the backrest (Q2) (Only for: 10S, 10SFL, 10SL, 11S, 11SFL, 11SL)	530
7SEQU004	Quilting - front side of the seat (Q1) (Only for: 20H, 20V)	445

0 price group: Alba, Evo, Next 1 price group: Cura, Tonal, Xtreme

2 price group: Select

3 price group: Capture, Oceanic, Step, Synergy 4 price group: Steelcut 3, Steelcut Trio 3

Castors/glides:

- hard castors for soft floors (set),
- soft castors for hard floors (set),
- teflon glides universal (set).

Glides in models 20H / 20V:

- standard teflon glides (universal),
- option felt glides (for hard floors).

When ordering please clearly indicate the chosen option.

P69TPU - height adjustable (range 100 mm), soft termo polyurethane (TPU) pad.

P70TPU - height adjustable (range 100 mm), sliding pad adjustment (range 50 mm), with span option (range 27 mm), swivel pad adjustment (range 33°), soft termo polyurethane (TPU) pad.

J-bar (backrest bracket) - always in grey colour.

SmartADLS - patented solution and a unique feature of the Xenon collection ensuring proper support of the lower spine.

When ordering please clearly indicate the chosen option.

Quilting - extra charge to all price groups, lead time 30-40 working days.













www.blauer-engel.de/uz117

Profim XENON NET

ITO Design

- Innovative depth adjustment of the lumbar support (SmartADLS)
- Mechanism synchro with smooth and quick adjustment of backrest spring strength
- Graphite J-bar, connecting backrest, seat and mechanism
- Available with high backrest, version with headrest and jacket hanger
- Conference version legs or cantilever and version with or without armrest
- Blue Angel certificate confirms that our chair is environmentally friendly

Item no	Base model +	Price Group (PG)	0	1	2	3	4	5	6	Price
MBC000S000	Profim XENON NET 100S • high mesh backrest • synchro mechanism • base: black • non-arm version		4 640	4875	5 109	5 314	5 750	5 480	6 147	
MBC000SL00	Profim XENON 100SL • high mesh backrest • synchro mechanism • sliding seat • base: black • non-arm version		4912	5 159	5 344	5 558	6 010	5 763	6417	
MBC000SF00	Profim XENON NET 100SFL high mesh backrest synchro mechanism sliding seat seat and backrest forward tilt base: black non-arm version		5 109	5 319	5 528	5748	6 182	5 923	6 577	
MBC010S000	Profim XENON NET 101S • high mesh backrest • lumbar support • synchro mechanism • base: black • non-arm version • lumbar support - height adjustable		4762	4973	5 208	5 4 1 6	5 850	5 616	6 269	
MBC010SL00	Profim XENON NET 101SL high mesh backrest lumbar support synchro mechanism sliding seat base: black non-arm version lumbar support - height adjustable		5021	5 256	5 466	5 686	6108	5 862	6 527	
MBC010SF00	Profim XENON NET 101SFL high mesh backrest lumbar support synchro mechanism sliding seat seat and backrest forward tilt base: black non-arm version lumbar support - height adjustable		5 208	5 428	5 639	5 865	6 282	6 059	6713	

Item no	Base model +	Price Group (PG)	0	1	2	3	4	(5)	6	Price
MBC011S000	Profim XENON NET 110S • high mesh backrest • synchro mechanism • base: black • non-arm version • headrest		5 676	5911	6120	6 365	7 145	6 527	7 193	
MBC011SL00	Profim XENON NET 110SL • high mesh backrest • synchro mechanism • sliding seat • base: black • non-arm version • headrest		5 936	6182	6 380	6 636	7 404	6 800	7 454	
MBC011SF00	Profim XENON NET 110SFL high mesh backrest synchro mechanism sliding seat seat and backrest forward tilt base: black non-arm version headrest		6 120	6 356	6 566	6829	7 601	6 9 7 3	7 650	
MBC111S000	Profim XENON NET 111S • high mesh backrest • lumbar support • synchro mechanism • base: black • non-arm version • lumbar support - height adjustable • headrest		5 800	6 034	6 231	6 480	7 255	6 651	7317	
MBC111SL00	Profim XENON NET 111SL high mesh backrest lumbar support synchro mechanism sliding seat base: black non-arm version lumbar support - height adjustable headrest		6072	6 282	6515	6776	7 515	6 898	7 566	
MBC111SF00	Profim XENON NET 111SFL high mesh backrest lumbar support synchro mechanism sliding seat seat and backrest forward tilt base: black non-arm version lumbar support - height adjustable headrest		6231	6 467	6677	6943	7 701	7 084	7 750	

	Accessories/Options/Surcharges:	
7BASC003	Base: polished aluminum	752
7COPR002	Frames colours: MetallicPro, White RAL 9016, Deep Green RAL 6004, Navy Blue RAL 5003, Burgundy RAL 3005, Salvia/Green RAL 6021, Blue RAL 5014, Terracota RAL 3012 (Only for: 20H, 20V)	38
7COPR003	Frames colours: Lightgrey; Grey (Only for: 20H, 20V)	228
7ARMR036	Armrests P69TPU - black (set) (Only for: 100S, 100SFL, 100SL, 101S, 101SFL, 101SL, 110S, 110SFL, 111SL, 111SL)	556
7ARMR037	Armrests P70TPU - black (set) (Only for: 100S, 100SFL, 100SL, 101S, 101SFL, 101SL, 110S, 110SFL, 111SL, 111SL)	803
7CFRA001	Frame: chrome (Only for: 20H, 20V)	383
7ARMR001	Armrests - metal with a polypropylene pad (set) (Only for: 20H, 20V)	296
7TGAS005	Gas lift with shock absorber (Only for: 100S, 100SFL, 100SL, 101S, 101SFL, 101SL, 110S, 110SFL, 110SL, 111SFL, 111SL)	258
7HANG002	Clothes hanger (Only for: 100S, 100SFL, 100SL, 101S, 101SFL, 101SL, 110S, 110SFL, 111SL, 111SFL, 111SL)	445
7SEQU004	Quilting - front side of the seat (Q1)	445

0 price group: Alba, Evo, Next 1 price group: Cura, Tonal, Xtreme

2 price group: Select

3 price group: Capture, Oceanic, Step, Synergy 4 price group: Steelcut 3, Steelcut Trio 3

Castors/glides:

- hard castors for soft floors (set),
- soft castors for hard floors (set),
- teflon glides universal (set).

Glides in models 20H / 20V:

- standard teflon glides (universal),
- option felt glides (for hard floors),

When ordering please clearly indicate the chosen option.

 ${\sf P69TPU-height\ adjustable\ (range\ 100\ mm),\ soft\ termo\ polyurethane\ (TPU)\ pad.}$

P70TPU - height adjustable (range 100 mm), sliding pad adjustment (range 50 mm), with span option (range 27 mm), swivel pad adjustment (range 33°), soft termo polyurethane (TPU) pad.

Type of mesh: Runner, String. Please clearly indicate on your order the chosen option.

 $In models \ Xenon \ Net \ 110/111 \ headrest \ may \ be \ covered \ in \ seat-upholstery \ or \ in \ Runner-mesh. \ Please \ clearly \ indicate \ on \ your \ order \ the \ chosen \ option.$


J-bar (backrest bracket) - always in grey colour.


SmartADLS - patented solution and a unique feature of the Xenon Net collection ensuring proper support of the lower spine.

When ordering please clearly indicate the chosen option.

Quilting - extra charge to all price groups, lead time 30-40 working days.

AccisPro





150SFL







headrest



LightUp





230S / 230SL / 230SFL







250S / 250SL / 250SFL



Motto






10S / 10SL / 10SFL



11S / 11SL / 11SFL




Veris Net






kg 19,5



110SFL / 111SFL


20,5

Violle




130SFL






25,0






kg 22,5




kg 24,5



Xenon



















11S



20,5

Xenon Net







100S / 101S









110S / 111S

110SL / 110SFL / 111SL / 111SFL





Mechanisms



Synchro*

Accis

- A Seat height
- B Value of the backrest reclining force
- C Seat side-movement function
- D Tilt angle of the backrest and the seat / additional backrest and seat angle
- E Seat depth



Synchro*

Action

- A Seat height
- B Tilt angle of the backrest and the seat
- C Value of the backrest reclining force
- D Seat depth
- E Additional backrest and seat angle



Synchro*

Veris

- A Seat height
- B Tilt angle of the backrest and the seat / additional backrest and seat angle
- C Value of the backrest reclining force
- D Seat depth
- E Inclination of the front part of the seat



Synchro*

Violle

- A Seat height
- B Tilt angle of the backrest and the seat
- C Value of the backrest reclining force
- D Seat depth
- E Additional seat angle



Synchro*

LightUp / Motto / Xenon / Xenon Net

- A Seat height
- $\ensuremath{\mathsf{B}}$ Tilt angle of the backrest and the seat
- C Value of the backrest reclining force
- D Seat depth (only in SL and SFL models)
- E Additional backrest and seat angle (only in SFL models)



Synchro*

MyTurn 10S, 20S

- A Seat height
- B Tilt angle of the backrest and the seat
- C Value of the backrest reclining force

Armrests



P48

Action / Veris Net

Height adjustable armrest (range 100 mm) with span adjustment (range 35 mm on each side - only in Veris and Veris Net), sliding pad (range +/- 30 mm) with pivot option (+/- 30°).

Colour of armrest frame: black.

Armpad type: PU (polyurethane pad)



P54

Veris Net

Height adjustable armrest (range 80 mm). Colour of armrest frame: black. Armpad type: PU (polyurethane pad)



P62

Violle

Height adjustable armrest (range 90 mm), sliding pad (range +/- 50 mm) with span option (+/- 28 mm). Colour of armrest frame: black, light grey, white, graphite, polished aluminum. Armpad type: PU (polyurethane pad)



P63

AccisPro

Height adjustable armrest (range 100 mm), sliding pad (range +/- 50 mm), span option (+/- 27 mm), with pivot option (+/- 33°). Colour of armrest frame: black,light grey. Armpad type: TPU.



P67

LightUp / Motto

Height adjustable armrest (range 100 mm). Colour of armrest frame: black, light grey (only LightUp). Armpad type: TPU.



P68

LightUp / Motto

Height adjustable armrest (range 100 mm), sliding pad (range +/- 50 mm), span option (+/- 27 mm), with pivot option (+/- 33°). Colour of armrest frame: black. Armpad type: TPU.



P69

Xenon / Xenon Net

Height adjustable armrest (range 100 mm). Colour of armrest frame: black. Armpad type: TPU.



P70


Xenon / Xenon Net


Height adjustable armrest (range 100 mm), sliding pad (range +/- 50 mm), span option (+/- 27 mm), with pivot option (+/- 33°).
Colour of armrest frame: black.
Armpad type: TPU.


Measuring methodology

Swivel armchairs and chairs are measured with a mechanism adjusted in such a way that the seat is as much as it is possible positioned levelly, while the backrest vertically. Swivel armchairs and chairs are measured on their castors, whereas visitor and reception chairs on hard glides.

The measurements are approximate and can dier depending on the product configuration.







A - Total height

For products fitted with a gas lift - it is measured with gas lift's minimum and maximum extension. For products fitted with an additional backrest and headrest height adjustment - it is measured in both minimum and maximum positions of the backrest, headrest and gas lift.

B - Seat height


Measured at the highest point of the seat. For products fitted with a gas lift - it is measured with absorber's minimum and maximum extension.

C - Seat height with the burden

Seat measured according to EN standards (with seat burden). For products fitted with a gas lift – it is measured with gas lift's minimum and maximum extension.

D - Backrest height

Measured from the seat to the backrest upper edge. For products with adjustable backrest height - it is measured in the minimum and maximum position.




E - Headrest height

Measured from the backrest upper edge to the headrest upper edge. The headrest adjusted in maximum vertical position in relation to the upper and lower edge of the headrest. Measured in the headrest's minimum and maximum position.

- Base, frame width

Measured at the uttermost points of the base according to the following figures.



G - Base diameter

Measured according to the figure underneath.



H - Seat width

Measured at the uttermost points of the seat.

I - Backrest width

Measured at the uttermost points of the backrest.

J - Total width

Measured at the uttermost points. For products fitted with adjustable armrests - it is measured with the armrests slid apart to maximum. For products fitted with armrests with adjustable pads - it is measured with the pads slid apart to maximum.

Profim Standard fabrics

ALBA (FIDIVI)

Alba is a uni-coloured polyester fabric with a grainy texture. The weave construction play with light and add depth to the colours.

Composition: 100% polyester **Weight:** 320 +/- 5% g/m2

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, BS 5852 Crib 5, BS 7176 Medium Hazard, UNI 9175 Class 1 IM

Light fastness: 6 (EN ISO 105 - B02: 2013) **Rubbing fastness:** 4/5 (Wet/Dry) (ISO 105-X12)

Pilling: 5 (EN ISO 13945-2)


Environmental facts: Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non-metallic dyestuff, does not contain flame-retardant chemicals, ISO 14001

certified company.

Design: FIDIVI Design Team **Produced in:** South Korea

Cleaning & disinfection: Washable up to 60°, dry cleanable with perchloroethylene, cleanable with steam, bleach and the most common sanitizing agents. (For

further info follow FIDIVI's cleaning guidelines - www.fidivi.com)



EVO - PRICE GROUP 0

Evo is a uni-coloured polyester crepe fabric. The irregular weave structure add shine and good stretch.

Composition: 100% polyester

Weight: 320 g/m2

Abrasion resistance: 180 000 Martindale (EN ISO 12947-2) **Flammability:** BS EN 1021: 1-2 (Cigarette & match)

Light fastness: 4-5 (EN ISO 105-B02)

Rubbing fastness: 4-5 (Wet/Dry) (EN ISO 105-X12)


Pilling resistance: 5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, ISO 14001 certified company

Design: Miranda Design Team

Produced in: Poland

Cleaning & disinfection: Dry cleaning with tetrachloroethylene and water solution of carbonate fluoride



NEXT - PRICE GROUP UNDEFINED

Next is a polyester fabric in solid and mixed colors. It is lightly textured with a semi-gloss surface.

Composition: 100% polyester

Weight: 340 g/m2

Abrasion resistance: 100,000 Martindale (EN ISO 12947-2)

Flame safety: BS EN 1021: 1-2 (Cigarette & match)


Light fastness: 5 (EN ISO 105-B02)

Rubbing resistance: 4-5 (Wet/Dry) (EN ISO 105-X12)

Picking resistance: 5 (EN ISO 12945-2)

Environmental facts: Oeko-Tex® Standard 100, ISO 14001 Certified company

Cleaning and disinfection: Dry cleaning with tetrachlorethylene and aqueous solution of carbonate fluoride



CURA (GABRIEL) - PRICE GROUP 1

Cura is a two-coloured fabric made from 100% post-consumer recycled polyester. It has a matt, slightly irregular and natural-looking texture where the dark, underlying grey fibers create a discreet yet vibrant melange effect. High durability and stretchability and its soft, voluminous touch make Cura suitable for both office and lounge furniture.

Composition: 100% post-consumer recycled polyester

Weight: 420 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2, BS 5852 0&1, CA TB 117-2013, ASTM E 84 Class I

Light fastness: 5-8 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Contains no Flame Retardant chemicals, ISO 14001 certified company

Design: Cenk Kivrikoglu **Produced in:** Lithuania

Cleaning: Wash or dry cleaning, Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel´s cleaning guidelines - www.gabriel.dk)



TONAL (GABRIEL) - PRICE GROUP 1

Tonal is a post-consumer recycled polyester fabric in a two-coloured melange. It has a discreet textured look with a fusion of light and dark tones adding depth to the colours.

Composition: 99% post-consumer recycled polyester, 1% polyester

Weight: 315 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2, BS 476 Part 7 class 1, CA TB 117-2013, ASTM E 84 Class I

Light fastness: 6-8 (EN ISO 105 - B02)


Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Contains no Flame Retardant chemicals, ISO 14001 certified company

Design: Cenk Kivrikoglu **Produced in:** Lithuania

Cleaning: Wash or dry cleaning, Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel's cleaning guidelines - www.gabriel.dk)



XTREME (CAMIRA) - PRICE GROUP 1

Xtreme is a crepe fabric made from 100% post-consumer recycled polyester that features exceptional Euro flammability performance. Extra stretch and structure gives an irregular, shiny finish.

Composition: 100% post-consumer recycled polyester

Weight: 310 g/m²

EXR079

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Section 4 Crib 5, DIN 4102 B1, UNI 9175 Class 1 IM, NF D

60-013

Light fastness: 6 (EN ISO 105 - B02: 2013)
Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)

Pilling: 5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.

Design: Camira Design Studio **Produced in:** United Kingdom

Cleaning & disinfection: Washable to 60°C and bleach cleanable (For further info follow Camira's cleaning guidelines - www.camirafabrics.com)



SELECT (GABRIEL) - PRICE GROUP 2

Select is a classic woolen fabric with a tightly woven relief structure, combining excellent softness, stretch and durability. Its rich texture with the interplay of light and shadow add depth in all the colours in the palette.

Composition: 85% New Zealand wool, 15% polyamide Abrasion resistance: 200 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2, BS 5852 0&1, BS5852 Crib 5, CA TB 117-2013, IMO MSC 307(88) Annex 1 part 8/MED registration IMO

Light fastness: 5-8 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

Design: Cenk Kivrikoglu **Produced in:** Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines - www.gabriel.dk)



CAPTURE (GABRIEL) - PRICE GROUP 3

Capture is a lightly felted and multi-coloured wool fabric combining softness, stretch and strenght. It fuses light and dark colours to a refined melange pattern in subtle nuances, which add richness and depth to the design.

Composition: 85% New Zealand wool, 15% polyamide **Abrasion resistance:** 200.000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Part 1 0,1 (Cigarette & match), CA TB 117-2013, Class Uno UNI 9175 Class 1 IM

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4-5 (EN-ISO 12945-2)

 $\textbf{Environmental facts:} \ \textbf{EU Ecolabel}, \ \textbf{Oeko-Tex} \\ \textbf{® Standard 100, 100\% free of heavy metals, ISO 14001 certified company to the property of the pr$

Design: Cenk Kivrikoglu **Produced in:** Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines - www.gabriel.dk)



OCEANIC (CAMIRA) - PRICE GROUP 3

Oceanic is made from 100 % post-consumer recycled polyester yarn where 90% are created from post-consumer plastic bottles diverted from landfill and 10% is upcycled marine plastic (from marine litter). It is a fabric born out of the SEAQUAL Initiative designed to combat marine plastic pollution and achieve a waste free environment. Oceanic has a two coloured diagonal structure with a matte surface and soft touch.

Composition: 100 % post-consumer recycled polyester, including 50% SEAQUAL yarn

Weight: 497 g/m² ±5%

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low, BS 7176 Medium Hazard with EnviroFlam5, CA TB 117-2013

Light fastness: 5 (EN ISO 105 - B02: 2013) Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.

Design: Camira Design Studio **Produced in:** United Kingdom

Cleaning & disinfection: Washable at 60 °C and bleach cleanable (For further info follow Camira´s cleaning guidelines - www.camirafabrics.com)



STEP (GABRIEL) - PRICE GROUP 3

Step is unique in both texture and performance. With its delicate surface, Step is perceived as vivid and interesting. The texture with the fire-resistant Trevira CS yarn ensures that the fabric is suited for use in environments with high fire safety and durability requirements.

Composition: 100% Trevira CS

Weight: 336 g/m2

Composition: 100% Trevira cs

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1&2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, MED Cerftificate IMO, Class Uno

UNI 9175 Class 1 EMME, ÖNORM Light fastness: 5-7 (EN ISO 105 - B02)


Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

Design: Inger Mosholt Nielsen **Produced in:** Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines www.gabriel.dk)




SYNERGY (CAMIRA) - PRICE GROUP 3

Epitomising natural simplicity, Synergy is a wool rich fabric which is at once both irresistibly soft and ultra-high performing. Delicately felted, with a beautifully relaxed drape, the understated aesthetics showcase the intriguing coloration of this considered textile.

- · Composition:
- 95% wool
- 5% polyamide
- Weight: 400 g/m2
- · Certificates:
- Abrasion resistance: 100000 Martindale cycles (BS-EN ISO 12947-2)
- Pilling resistance: 4 (BS-EN ISO 12945-2)
- Flammability: cigarette (BS-EN 1021-1)
- Flammability: match (BS-EN 1021-2)
- Flammability: (UNI 9175 Class 1IM)
- Light fastness: 5 (ISO 105-B02)
- · Maintenance:
- · -vacuum regularly
- · -use dry-clean preparations
- -do not bleach

Because of the fact that the fabric Synergy is composed of 95% natural fiber, each of the batches shows variations in shade, which may be visible in products of follow-up orders. Additionally, an inherent feature of all natural fibers is the tendency to delicate fabric pilling.



STEELCUT 3 (KVADRAT) - PRICE GROUP 4

Steelcut 3 is a unicoloured strong worsted wool and polyamide woven fabric, combining durabilty, soft touch and colour depth. The construction create a three-dimensional surface resembling small pyramids or steel points. Despite its complex weaving technique, it has a simple and precise expression.

Composition: 90% worsted new wool, 10% polyamide

Weight: 825 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (with treatment), BS 5852 part 1, IMO FTP Code 2010 Part 8, NF D 60

013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, ASTM E84 Class A Unadhered, ASTM 84 Class B Adhered

Light fastness: 5 6 (EN ISO 105-B02)

Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 3-4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold

Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)

Produced in: United Kingdom

Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat´s cleaning guidelines - www.kvadrat.dk)



STEELCUT TRIO 3 (KVADRAT) - PRICE GROUP 4

Steelcut Trio 3 is a strong worsted wool and polyamide woven fabric, made with three different coloured yarns. The colours and the special weave create a three-dimensional surface where the colours seem to change depending on the angle of perspective. Like Steelcut 3, despite the complexity of the textile's innovative weave, it has a simple, precise expression.

Composition: 90% worsted new wool, 10% polyamide

Weight: 770 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, , BS 5852 Crib 5 (with treatment), BS 5852 part 1, BS 5852 ignition source 3, IMO FTP

Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, GB 50222 B1 with treatment (Chinese)

Light fastness: 6-7 (EN ISO 105-B02)

Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold

Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)

Produced in: United Kingdom

Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat´s cleaning guidelines - www.kvadrat.dk)



PALOMA SOFT (WOLLSDORF) - PRICE GROUP 6

High quality semi-aniline leather. All our standard colours from Paloma have a special finish adding a particular softness to the leather. Excellent friction and breathing properties. The surface may feature small scars and marks resulting from insect bites etc. These are proof of the natural origin of the product and are part of its character.

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, IMO A.652 (16)

Light fastness: 6 (EN ISO 105-B02)

Rubbing: Wet 80/4 - Dry 2000/4 - Sweat 50/4 - ISO 11640


Finish-adhesion: 2,0 N/cm ISO 11644 Tear-strength: 20 N/mm DIN 53329- A

Environmental facts: Tanned without using chromium salts, BlueAngel, ECO2L-certificate, ISO 14001 certified company

Produced in: Austria

Animal Welfare: All hides are by-products from the meat and dairy industries, only use hides from healthy and uninjured animal. Following European standards as a minimum and the "Five Freedoms" of livestock as defined by FAWC (Farm Animal Welfare Council)

Cleaning: Follow the leather care guide from our supplier - www.wollsdorf.com



Mesh Ariz



GZ-21

Mesh Bit








Runner 60061

Runner 60011

Runner 60999


Plastics Ariz

















Finishings colours in print may dier from real ones.

Plastics Ellie^{Pro}/ Trillo^{Pro}



Plastics Mickey



Plastics / frames Zoo



Tempered glass Chic Tables



Fabrics - Extended

Lead time 30-40 working days

- Legend: Possibility of making the product in the given upholstery
 - O Possibility of making only the seat in the given upholstery
 - Impossibility of making a product in a given upholstery

	Camira	Blazer (PG 3)	Era (PG 3)	Halcyon (PG 3)	Main Line Flax (PG 3)	Rivet (PG 3)	Urban (PG 3)	X2 (PG 3)	Gabriel	Breeze Fusion (PG 4)	Chili (PG 3)	Comfort+ (PG 5)	Crisp (PG 3)	Fame (PG 3)	Focus (PG 3)	Focus Melange (PG 3)	Go_Check (PG 3)	Go_Couture (PG 3)	Go_Uni (PG 3)	Just (PG 3)	Mica (PG 3)	Step Melange (PG 3)
Accis ^{Pro}		•	•	•	•	•	•	•		-	•	•	-	•	•	•	•	•	•	•	•	•
Action		•	•	-	•	•	•	•		-	•	•	-	•	•	•	•	•	•	•	•	•
LightUp		•	•	-	•	•	•	•		-	•	•	-	•	•	•	•	•	•	•	•	•
Motto		•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•
MyTurn		•	•	-	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•
Veris Net		•	•	•	•	•	•	•		-	•	•	-	•	•	•	•	•	•	•	•	•
Violle		•	•	•	•	•	•	•		-	•	•	-	•	•	•	•	•	•	•	•	•
Xenon		•	•	•	•	•	•	•		-	•	•	-	•	•	•	•	•	•	•	•	•
Xenon Net		•	•	•	•	•	•	•		-	•	•	-	•	•	•	•	•	•	•	•	•

Fabrics - Extended

Lead time 30-40 working days

•	•	•	- 0 - •	•	•	- • •	- • •	•	•	•	•	•		•		•	- • •	•	•	Accis ^{Pro} Action LightUp Motto MyTurn Veris Net Violle Xenon
•	•	•	- 0 - •	•		- • •	- • •	•	•	•	•	•		•		•		•	•	Action LightUp Motto MyTurn Veris Net
•	•	•	- 0 - •	•		- • •	- • •	•	•	•	•	•		•		•		•	•	Action LightUp Motto MyTurn
•	•	•	- 0 -	•		-	-	•	•	•	•	•		•		0		0	•	Action LightUp Motto
•	•	•	- 0 -	0		-	-	•	•	•	0	0		•		0		0	•	Action LightUp
•	•	•	-	•	•	<u>-</u> -	-	•	•	•							<u>-</u>		•	Action
•	•	•	-	•	•	-	-	•	•	•	•	•		•		•	-	•	•	
		_																		ACCISFIG
•	•	•	•	•	•	_	_	•	•	•	•	•		•		•	•	•	•	A Bro
Atlas (PG 3)	Alida (1 C C)	Canvas (PG 4)	Coda (PG 6)	Divina Melange (PG 5)	Divina (PG 5)	Divina MD(PG 5)	Hallingdal 65 (PG 5)	Melange Nap (PG 4)	Remix (PG 3)	Revive (PG 3)	Re-wool (PG 3)	Twill Weave (PG 5)	Sanwil	Softline (PG 1)	Skai	Palena (PG 3)	Palma (PG 3)	Parotega (PG 3)	Sotega (PG 3)	

Fabrics - Extended

Lead time 30-40 working days

- Legend: Possibility of making the product in the given upholstery
 - O Possibility of making only the seat in the given upholstery
 - Impossibility of making a product in a given upholstery

	Spradling	Chronos (PG 3)	Silvertex (PG 3)	Silvertex B1 (PG 3)	Valencia B1 (PG 3)	Svensson	Semi (PG 3)	Textafoam	Velvet (PG 1)
Accis ^{Pro}		•	•	•	•		•		•
Action		0	•	•	•		•		-
LightUp		0	0	•	•		•		•
Motto		•	•	•	•		•		•
MyTurn		-	•	-	-		•		-
Veris Net		•	•	•	•		•		-
Violle		•	•	•	•		•		•
Xenon		•	•	•	•		•		•
Xenon Net		_	_	_	•		•		•

www.profim.eu profim

Office

Flokk AB Rosenlundsgatan 40, trapphus B, vån 3

118 52 Stockholm

Sweden

Factory

Flokk AB

Vallgatan 1

571 41 Nässjö

Sweden

Social Media

Facebook

YouTube

Instagram

Pinterest

LinkedIn